

Page 1/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.08.2018

Revision: 14.07.2016

1 Identification of the substance/mixture and of the company/undertaking

Product identifier

· Trade name: LED-Hardwaxoil Pure

· Article number: 04.LD110000.XX

· Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance / the mixture Wood preservatives

Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Wasziederij "De Vesting B.V."

Trasweg 12

NL-5712 BB Someren-Eind

The Netherlands

Tel: +31 493 496760

Fax: +31 493 493670

Email: info@vesting.nl

Web: www.vesting.nl

· Further information obtainable from: Product safety department.

• Emergency telephone number: During normal opening times: +31 493 496 760

2 Hazards identification

- Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Eye Dam. 1

H318 Causes serious eye damage.



Skin Irrit. 2

H315 Causes skin irritation.

Skin Sens. 1

H317 May cause an allergic skin reaction.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

Label element

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)



Page 2/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.08.2018 Revision: 14.07.2016

(Contd. of page 1)

Trade name: LED-Hardwaxoil Pure

Hazard pictograms



· Signal word Danger

· Hazard-determining components of labelling:

oxybis(methyl-2,1-ethanediyl) diacrylate

Glycerol, propoxylated, ester with acrylic acid

diphenyl(2,4,6- trimethylbenzoyl)phosphine oxide

Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P261 Avoid breathing mist/vapours/spray. P273 Avoid release to the environment.

Wear protective gloves / eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Additional information:

VOC (EC) 0 g/l (VOC-max. = 500 g/l (2010 A/i))

Restricted to professional users.

Keep out of the reach of children

Other hazards

Results of PBT and vPvB assessment

· PBT: Not applicable.

· vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

oxybis(methyl-2,1-ethanediyl) diacrylate	10-25%
♦ Eye Dam. 1, H318; ♦ Skin Irrit. 2, H315; Skin Sens. 1, H317	
polyetherpolyol acrylic ester	10-25%
♦ Aquatic Chronic 2, H411	
Glycerol, propoxylated, ester with acrylic acid	2.5-10%
◆ Eye Irrit. 2, H319; Skin Sens. 1, H317	
Melanine acrylate	2.5-10%
♦ Skin Irrit. 2, H315; Eye Irrit. 2, H319	
diphenyl(2,4,6- trimethylbenzoyl)phosphine oxide	≤ 2.5%
Repr. 2, H361; Aquatic Chronic 2, H411; Skin Sens. 1, H317	
Benzene, ethenyl-,copolymer with 2,5-Furandione and Benzene,1,1'-(1,1-	≤ 2.5%
with Oxirane,	
♦ Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
	polyetherpolyol aerylic ester Aquatic Chronic 2, H411 Glycerol, propoxylated, ester with aerylic acid Eye Irrit. 2, H319; Skin Sens. 1, H317 Melanine aerylate Skin Irrit. 2, H315; Eye Irrit. 2, H319 diphenyl(2,4,6- trimethylbenzoyl)phosphine oxide Repr. 2, H361; Aquatic Chronic 2, H411; Skin Sens. 1, H317 Benzene, ethenyl-copolymer with 2,5-Furandione and Benzene, 1,1'-(1,1-dimethyl-3-methylene-1,3- propanediyl)bis-, rp. with Oxirane,

Page 3/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.08.2018 Revision: 14.07.2016

Trade name: LED-Hardwayoil Pure

(Contd. of page 2)

· Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

- Description of first aid measures
- After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Consult doctor in case of irritation.

Immediately wash with water and soap and rinse thoroughly.

- After eye contact: Rinse opened eye for several minutes under running water. Consult a doctor.
- After swallowing:

Rinse out mouth

Do not induce vomiting; call for medical help immediately.

- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Firefighting measures

- Extinguishing media
- Suitable extinguishing agents:

Water haze

Carbon dioxide

Sand

Fire-extinguishing powder

Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Carbon monoxide (CO)

Carbon dioxide (CO2)

- Under certain fire conditions, traces of other toxic gases cannot be excluded.
- Advice for firefighters
- Protective equipment:

Wear fully protective suit.

Do not inhale explosion gases or combustion gases.

Wear self-contained respiratory protective device.

· Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures
- Ensure adequate ventilation
- Particular danger of slipping on leaked/spilled product.
- Environmental precautions:

Do not allow to penetrate the ground/soil.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

(Contd. on page 4)

Page 4/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.08.2018 Revision: 14.07.2016

Trade name: LED-Hardwaxoil Pure

(Contd. of page 3)

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- Handling:
- Precautions for safe handling

Avoid contact with skin and eyes.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- Information about fire and explosion protection: No special measures required.
- Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Store in a cool place.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical facilities: No further data; see item 7.
- · Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists valid during the making were used as basis.
- Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

Do not eat, drink, smoke or sniff while working.

Do not carry product impregnated cleaning cloths in trouser pockets.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

- Avoid contact with the eyes and skin.
- Respiratory protection: Use suitable respiratory protective device in case of insufficient ventilation.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 5)

Page 5/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.08.2018 Revision: 14.07.2016

Trade name: LED-Hardwaxoil Pure

(Contd. of page 4)

- Penetration time of glove material
- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- Eye protection:



Tightly sealed goggles

Information on basic physical and chem	ical properties
General Information	
Appearance: Form:	Fluid
rorm: Colour:	Whitish
Odour:	Characteristic
Odour threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range	
Flash point:	>100 °C
Flammability (solid, gas):	Not applicable.
Ignition temperature:	240 °C
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure:	Not determined.
Density at 20 °C:	1.08 g/cm ³
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	No. 1 Th. Com. Let
water:	Not miscible or difficult to mix.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic at 20 °C:	100 mPas
Kinematic:	Not determined.
Solvent content:	
VOC (EC)	0.00 %

(Contd. on page 6)

Page 6/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.08.2018 Revision: 14.07.2016

Trade name: LED-Hardwaxoil Pure

(Contd. of page 5)

10 Stability and reactivity

- Reactivity No further relevant information available.
- Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions Reacts with acids, alkalis and oxidising agents.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.

 I D/I	C50	voluce	relevant	for	classific	ation:

75980-60-8 diphenyl(2,4,6- trimethylbenzoyl)phosphine oxide

Oral | LD50 | >5000 mg/kg (rat) Dermal LD50 >2000 mg/kg (rat)

Primary irritant effect:

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/irritation

Causes serious eye damage.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

· Aspiration hazard Based on available data, the classification criteria are not met.

12 Ecological information

Toxicity

Aquatic toxicity:

75980-60-8 diphenyl(2,4,6- trimethylbenzoyl)phosphine oxide

EC50/48 h 3.53 mg/l (daphnia magna)

EC50/72 h >2.01 mg/l (algea (pseudokirchneriella subcapitata))

LC50/96 h 1 - 10 mg/l (fish (danio rerio))

Persistence and degradability No further relevant information available.

Behaviour in environmental systems:

Bioaccumulative potential No further relevant information available.

· Mobility in soil No further relevant information available.

Ecotoxical effects:

Remark: Toxic for fish

Additional ecological information:

General notes:

Do not allow product to reach ground water, water course or sewage system, even in small quantities. Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

(Contd. on page 7)

Page 7/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.08.2018 Revision: 14.07.2016

Trade name: LED-Hardwaxoil Pure

(Contd. of page 6)

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable

Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

*****		=
UN-Number ADR, ADN, IMDG, IATA	not regulated	
	not regulated	
UN proper shipping name ADR, ADN, IMDG, IATA	not regulated	
Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	not regulated	
Packing group		
ADR, IMDG, IATA	not regulated	
Environmental hazards:	Not applicable.	
Special precautions for user	Not applicable.	
Stowage Category	A	
Transport in bulk according to Annex I	I of Marpol	
and the IBC Code	Not applicable.	

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

The information provided in these documents are based on our current knowledge of this product and be in good faith and to the best of our knowledge. However, this information shall explicitly not as technical specification and do not constitute a guarantee of the properties. We do not accept any liability for damage or consequences of any kind or size, either express or implied, arising from the use of this data could result. Existing laws, rules and regulations by the receiver and user of the product be met on their own responsibility. They should also ensure that the product for the intended application and use.

(Contd. on page 8)

Page 8/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.08.2018 Revision: 14.07.2016

Trade name: LED-Hardwaxoil Pure

(Contd. of page 7)

Relevant phrases

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H361 Suspected of damaging fertility or the unborn child.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

Department issuing SDS: Product safety department.

Contact: Laboratory

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative Skin Irrit, 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

Skin Sens. 1: Skin sensitisation – Category 1 Repr. 2: Reproductive toxicity – Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3